

**List of publications (chronological order)****2012 accepted or published papers**

98. Ghanem, S.J., Voigt, C.C. (2012) Increasing awareness of ecosystem services provided by bats. **Advances in the Study of Behavior** accepted
97. Dumont, E.R., Dávalos, L.M., Goldberg, A., Santana, S.E., Rex, R., Voigt, C.C. (2012) Morphological innovation, diversification and invasion of a new adaptive zone. **Proceedings of the Royal Society London: Biological Sciences** in press
96. Voigt, C.C., Voigt-Heucke, S.L., Kretzschmar, A. (2012) Isotopic evidence for seed transfer from successional area into forests by short-tailed fruit bats (genus *Carollia*; Phyllostomidae). **Journal of Tropical Ecology** 28:1-7.
95. Voigt, C.C., Voigt-Heucke, S., Schneeberger, K. (2012) Isotopic data do not support food sharing within large networks of female vampire bats (*Desmodus rotundus*) **Ethology** doi: 10.1111/j.1439-0310.2011.02004.x
94. Voigt, C.C., Holderied, M.W. (2012) High maneuvering costs force narrow-winged molossid bats to forage in open space. **Journal of Comparative Physiology B** doi 10.1007/s00360-011-0627-6
93. Popa-Lisseanu A.G., Soergel, K., Luckner, A., Wassenaar, L.I., Ibáñez, C., Ciechanowski, M., Görföl, T., Niermann, I., Beuneux, G., Myslajek, R., Juste, J., Fonderflick, J., Kramer-Schadt, S., Kelm, D., Voigt, C.C. (2012) A triple isotope approach to predict breeding origins of European bats. **PLoS ONE** accepted

**2011**

92. Greiner, S., Dehnhard, M., Voigt, C.C. (2011) Differences in plasma testosterone levels related to social status are more pronounced during mating- than non-mating season in the tropical bat *Saccopteryx bilineata* **Canadian Journal of Zoology** 89: 1157-1163.
91. Erzberger, A., Popa-Lisseanu, A., Lehmann, G.U.C., Voigt, C.C. (2011) Potential and limits in detecting altitudinal movements of bats using stable hydrogen isotope ratios of fur keratin **Acta Chiropterologica** in press
90. Puechmaille, S.J., Frick, W.F., Kunz, T.H., Racey, P.A., Voigt, C.C., Wibbelt, G., Teeling, E.C. (2011) White Nose Syndrome: An emerging disease threat to temperate zone bats. **Trends in Ecology and Evolution** 26: 570-576

89. Caspers, B.A., Schröder, F.C., Franke, S., Voigt, C.C. (2011) Scents of adolescence: the maturation of wing sac odour in greater sac-winged bats, *Saccopteryx bilineata*. **PLoS ONE** 6: e21162.
88. Matuszak, A., Voigt C.C., Storch, I., Bauer, H.-G., Quillfeldt, P. (2011) Depth-specific and spatiotemporal variation of  $\delta^{13}\text{C}$  and  $\delta^{15}\text{N}$  in Charophytes of Lake Constance: Implications for food web studies. **Rapid Communication in Mass Spectrometry** 25: 2089-2094.
87. Kelm, D.H, Simon, R., Kuhlow, D., Voigt, C.C., Ristow, M. (2011) High activity enables life on a high sugar diet: blood glucose regulation in nectar-feeding bats. **Proceedings of the Royal Society of London: Biological Sciences** 278: 3490-3496.
85. Voigt, C.C., Schneeberger, K., Voigt-Heucke, S.L., Lewanzik, D. (2011) Rain increases the energy cost of bat flight. **Biology Letters** 7: 793-795  
Featured in **ScienceNews** <http://news.sciencemag.org/sciencenow/2011/05/scienceshot-why-bats-dont-like.html?etoc>
84. Dehnhard, N., Voigt, C.C., Poisbleau, M., Demongin, L., Quillfeldt, P. (2011) Stable isotopes in southern rockhopper penguins: foraging areas and sexual differences in the non-breeding period. **Polar Biology** 11: 1763-1773.
83. Rex, K., Michener, R., Kunz, T.H., Voigt, C.C. (2011) Vertical stratification of Neotropical leaf-nosed bats (Phyllostomidae: Chiroptera) revealed by stable carbon isotopes **Journal of Tropical Ecology** 27: 211-222.
82. Siemers, B.M., Greif, S., Borisssov, I., Voigt-Heucke, S.L., Voigt, C.C. (2011) Divergent trophic levels in two cryptic sibling bat species. **Oecologia** 166: 69-78.
81. Schad, J., Dechmann, D.K.N., Voigt, C.C., Sommer, S. (2011) MHC class II *DRB* diversity, selection pattern and population structure in a neotropical bat species, *Noctilio albiventris*. **Heredity** 107: 115–126.
80. Meyer, C.F.J., Aguiar, L.M.S., Aguirre, L.F. Baumgarten, J., Clarke, F.M., Cosson, J.-F., Villegas, S.E., Fahr, J., Faria, D., Furey, N., Henry, M., Hodgkison, R., Jenkins, R.K.B., Jung, K.G., Pons, J.-M., Kunz, T.H., MacSwiney Gonzalez, M.C., Moya, I., Voigt, C.C., von Staden, D., Weise, C.D., Kalko, E.K.V. (2011) Estimating species richness and detectability in tropical bat surveys. **Journal of Applied Ecology** 48: 777-787.
79. Voigt, C.C., Lewanzik, D. (2011) Trapped in the darkness of the night: Thermal and energetic constraints of daylight flight in bats. **Proceedings of the Royal Society of London: Biological Sciences** 278: 2311-2317.
78. Greiner, S., Schwarzenberger, F., Voigt, C.C. (2011) Predictable estrus timing of a small tropical mammal in an almost a-seasonal environment. **Journal of Tropical Ecology** 27: 121-131.
77. Schinnerl, M., Aydinonat, D., Schwarzenberger, F., Voigt, C.C. (2011) Hematological Survey of Common Neotropical Bat Species from Costa Rica. **Journal of Zoo and Wildlife Medicine** 42: 382-391.

76. Hambly, C., Voigt, C.C. (2011) Measuring energy expenditure in birds using bolus injections of <sup>13</sup>C labelled Na-bicarbonate. **Comparative Biochemistry and Physiology A**. 158: 323-328.
75. Voigt, C.C., Akbar Z., Kunz, T.H., Kingston, T. (2011) The origin of assimilated proteins in Old and New-World phytophagous bats. **Biotropica** 43:108-113.

## 2010

74. Masello, J.F., Mundry, R., Poisbleau, M., Demongin, L., Voigt, C.C., Wikelski, M., Quillfeldt, P. (2010) Diving seabirds share space and time: Inter- and intra-specific segregation. **Ecosphere** 1: article 19.
73. Hölker, F., Moss, T., Griefahn, B., Kloas, W., Voigt, C.C., Henckel, D., Hänel, A., Kappeler, P.M., Völker, S., Schwoppe, A., Franke, S., Uhrlandt, D., Fischer, J., Wolter, C., Tockner, K. (2010) The dark side of light - A transdisciplinary research agenda for light pollution policy. **Ecology and Society** 15: 13-23.
72. Meyer, C.F.J., Aguiar, L.M.S., Aguirre, L.F. Baumgarten, J., Clarke, F.M., Cosson, J.-F., Villegas, S.E., Fahr, J., Faria, D., Furey, N., Henry, M., Hodgkison, R., Jenkins, R.K.B., Jung, K.G., Pons, J.-M., Kunz, T.H., MacSwiney Gonzalez, M.C., Moya, I., Voigt, C.C., von Staden, D., Weise, C.D., Kalko, E.K.V. (2010) Long-term monitoring of tropical bats for anthropogenic impact assessment: Gauging the statistical power to detect population change. **Biological Conservation** 143: 2797-2807.
71. Voigt, C.C. (2010) Insights into Strata Use of Forest Animals using the 'Canopy Effect' **Biotropica** 42: 634-637.
70. Greiner, S., Stefanski, V., Dehnhard, M., Voigt, C.C. (2010) Plasma testosterone levels decrease after activation of skin immune system in a free-ranging mammal. **General and Comparative Endocrinology** 168: 466-473.
69. Amitai, O. Amichai, E., Holtze, S., Barkan, S., Korine, C., Pinshow, B., Voigt, C.C. (2010) Fruit bats (Pteropodidae) fuel their metabolism rapidly and directly with exogenous sugars. **Journal of Experimental Biology** 213: 2693-2699.
68. Wibbelt, G., Moore, M., Schountz, T. Voigt, C.C. (2010) Emerging diseases in Chiroptera: Why bats? **Biology Letters** 6: 438-440.  
listed as second most viewed article in **Biology Letters** for 2010.
67. Hoffmann, A., Decher, J., Rovero, F., Schaer, J., Voigt, C.C., Wibbelt, G. (2010) Chapter 22: Field Methods and Techniques for Monitoring Mammals In: **ABCTaxa** in press
66. Voigt, C.C., Schuller, B.M., Greif, S., Siemers, B.M. (2010) Perch-hunting in insectivorous *Rhinolophus* bats is related to the high energy costs of manoeuvring in flight. **Journal of Comparative Physiology B** 180:1079-1088.
65. Voigt, C.C., Sörgel, K., Dechmann, D.K.N. (2010) Refuelling while flying: Foraging bats combust food rapidly and directly to fuel flight. **Ecology** 91:2908-2917.

64. Quillfeldt P., Voigt, C.C., Masello J.F. (2010) Plasticity versus repeatability in seabird migratory behaviour. **Behavioural Ecology and Sociobiology** 64: 1157-1164.
63. Rex, K., Czaczkes, B.I., Michener, R., Kunz, T.H., Voigt, C.C. (2010) Specialisation and omnivory in diverse mammalian assemblages. **Ecoscience** 17:37-46.
62. Bass, M., Finer, M., Jenkins, C.N., Kreft, H., Cisneros-Heredia, D.F., McCracken, S.F., Pitman, N.C.A., English, P.A., Swing, K., Villa, G., DiFiore, A., Voigt, C.C., Kunz, T.H. (2010) Global conservation significance of Ecuador's Yasuní National Park **PLoS ONE** 5, e8767.
61. Vos, A., Müller, T., Neubert, L., Voigt, C.C. (2010) Validation of a less-invasive blood sampling technique in rabies serology using Reduviid bugs (Triatominae, Hemiptera). **Journal of Zoo and Wildlife Medicine** 41: 63-68.

## 2009

60. Jewgenow, K., Braun, B.C., Göritz, F., Voigt, C.C., Martínez, F., Anaya, L., Vargas, A., Dehnhard, M. (2009) Pregnancy diagnosis in Iberian lynx (*Lynx pardinus*) based on urinary and blood plasma hormones. In: **Iberian Lynx ex situ conservation: An interdisciplinary approach** (A. Vargas, Breitenmoser, C., Breitenmoser, U. eds): Fundacion Biodiversidad/ICN Cat Specialist Group. Pp. 377 – 391.
59. Dechmann, D.K.N., John, L., Nowak, T., Voigt, C.C. (2009) Polymorphic microsatellites for the lesser bulldog bat (*Noctilio albiventris*) cross-amplify with close and distant relatives. **Conservation Genetics Resources** 1: 167-170.
58. Popa-Lisseanu, A., Voigt, C.C. (2009) Bats on the move. **Journal of Mammalogy** 90: 1283-1290.
57. Dechmann, D.K.N., Heucke, S.L., Guggioli L., Safi, K., Voigt, C.C., Wikelski, M. (2009) Experimental evidence for group hunting via eavesdropping in echolocating bats. **Proceedings of the Royal Society of London: Biological Sciences** 276:2721-2728.
56. Caspers, B., Voigt, C.C. (2009) Temporal and spatial distribution of male scent marks in the polygynous greater sac-winged bat. **Ethology** 115: 713-720
55. Voigt, C.C. (2009) Studying animal diets in-situ using portable infra-red stable isotope analyzers. **Biotropica** 41:271-274.
54. Voigt, C.C., Cruz-Neto A. (2009) Energetic analysis. In: **Ecological and Behavioral Methods for the Study of Bats** (eds. T.H. Kunz, S. Parsons). The Johns Hopkins University Press, Baltimore. Pp. 623-645.
53. Voigt, C.C., Kelm, D.H., Bradley, B., Ortmann, S. (2009) Dietary analysis of plant-visiting bats. In: **Ecological and Behavioral Methods for the Study of Bats** (eds. T.H. Kunz, S. Parsons). The Johns Hopkins University Press, Baltimore. Pp. 593-609.

52. Braun, B.C., Frank, A., Dehnhard, M., Voigt C.C., Vargas, A., Göritz, F., Jewgenow, K. (2009) Pregnancy diagnosis in urine of Iberian lynx (*Lynx pardinus*). **Theriogenology** 71: 754-761.
51. Caspers, B., Schroeder, F.C., Meinwald, J., Franke, S., Streich, W.J., Voigt C.C. (2009) Odour-based species recognition in two sympatric species of sac-winged bats (*Saccopteryx bilineata*, *S. leptura*): Combining chemical analysis, behavioral observation and odour preference tests. **Behavioural Ecology and Sociobiology** 63: 741-749.
50. Caspers, B., Wibbelt, G., Voigt, C.C. (2009) Histological examinations of facial glands in *Saccopteryx bilineata* (Chiroptera, Emballonuridae), and their potential use in territorial marking. **Zoomorphology** 128: 37-43.

## 2008

49. Voigt, C.C., Kretzschmar, A.S., Speakman, J.R., Lehmann, G.U.C. (2008) Female katydid fuel their metabolism with nuptial gifts. **Biology Letters** 4: 476-478.
48. Voigt, C.C., Baier, L., Speakman, J.R., Siemers, B.M. (2008) Stable carbon isotopes in exhaled breath as tracers for dietary information in birds and mammals. **Journal of Experimental Biology** 211: 2233-2238.
47. Voigt, C.C., Rex, K., Michener, R.H., Speakman, J.R. (2008) Nutrient routing in omnivorous animals tracked by stable carbon isotopes in tissue and exhaled breath. **Oecologia** 157: 31-40.
46. Voigt, C.C., Behr, O., Caspers, B., von Helversen, O., Knörnschild, M., Mayer, F., Nagy, M. (2008) Songs, scents, and senses: Sexual selection in the mating system of the greater sac-winged bat, *Saccopteryx bilineata*. **Journal of Mammalogy** 89:1401-1410.
45. Kelm, D.H., Schaer, J., Ortmann, S., Wibbelt G., Speakman J.R., Voigt C.C. (2008) Efficiency of facultative frugivory in a nectar specialist, the bat *Glossophaga commissarisi* (Chiroptera: Phyllostomidae). **Journal of Comparative Physiology B** 178: 985-996.
44. Arnold, J., Oswald, S.A., Voigt, C.C., Palme, R., Braasch, A., Bauch, C., Becker, P.H. (2008) Taking the stress out of blood collection: Comparison of field blood-sampling techniques for analysis of baseline corticosterone. **Journal of Avian Biology** 39: 588-592.
43. Voigt, C.C., Capps, K., Dechmann, D.K.N., Michener, R.H., Kunz, T.H. (2008) Nutrition or Detoxification: Why bats visit mineral licks of the Amazon Rainforest? **PLoS ONE** 3, e2011.
42. Rex, K., Kelm, D.H., Wiesner, K., Matt, F., Kunz, T.H., Voigt, C.C. (2008) Structure of three Neotropical bat assemblages. **Biological Journal of the Linnean Society** 94: 617-629.

41. Voigt, C.C., Grasse, P., Rex, K., Hetz, S.K., Speakman, J.R. (2008) Bat breath reveals metabolic substrate use in free-ranging vampires. **Journal of Comparative Physiology B** 178:9-16.
40. Voigt, C.C., Schwarzenberger, F. (2008) Reproductive endocrinology of a small tropical mammal (female *Saccopteryx bilineata*; Emballonuridae) monitored by fecal hormone metabolites. **Journal of Mammalogy** 89:50-57.
39. Caspers, B., Franke S., Voigt, C.C. (2008) The wing-sac odour of male greater sac-winged bats *Saccopteryx bilineata* (Emballonuridae) as a composite trait: Seasonal and individual differences. In: **Chemical Signals in Vertebrates XI**. eds Hurst, J., Beynon, R, Müller-Schwarze D., Springer, Berlin New York, 151-160.

## 2007

38. Müller, K., Voigt, C.C., Jens Raila, Andrea Hurtienne, Marianne Vater, Leo Brunnberg, Florian J. Schweigert (2007) Levels of carotenoids, retinol and  $\alpha$ -tocopherol in plasma of six microchiroptera species. **Comparative Physiology and Biochemistry A** 147:492-497.
37. Hoffmann, F.F., Hejduk, J., Caspers, B., Siemers, B.M., Voigt, C.C. (2007) In the mating system of *S. bilineata*, bioacoustic constraints impede male eavesdropping on female echolocation calls for their surveillance. **Canadian Journal of Zoology** 85: 863-872.
36. Voigt, C.C., Speakman, J.R. (2007) Nectar-feeding bats fuel their high metabolism directly with exogenous carbohydrates. **Functional Ecology** 21: 913-921.
35. Voigt, C.C., Dehnhard, M., Streich, W.J. (2007) Assessment of fecal testosterone metabolite analysis in free-ranging *Saccopteryx bilineata* (Chiroptera: Emballonuridae). **Acta Chiropterologica** 9(2):463-476.
34. Nagy, M., Heckel, G., Voigt, C.C., Mayer, F. (2007) Patrilineal social system drives female dispersal in a polygynous bat. **Proceedings of the Royal Society: Biological Sciences** 274:3019-3025.
33. Voigt C.C., Dechmann D.K.N., Bender J., Rinehart J.B., Michener R.H., Kunz T.H. (2007) Mineral licks attract neotropical seed-dispersing bats. **International Journal of Ecology**, Article ID 34212.

## 2006

32. Voigt, C.C., Kelm, D.H., Visser, H. (2006) Diet and field metabolic rate in two phytophagous bats: Do pollinator strategies make life spin faster? **Journal of Comparative Physiology B** 176: 213-222.
31. Voigt, C.C., Kelm, D.H. (2006) Host preference of the common vampire bat *Desmodus rotundus* assessed by stable isotopes. **Journal of Mammalogy** 87:1-6.

30. Becker P.H., Voigt C.C., Arnold, J.M., Nagel R. (2006) A technique to bleed incubating birds without trapping: A blood-sucking bug in a hollow egg. **Journal for Ornithology (Springer)** 147: 115-118.
29. Voigt, C.C., Kelm, D.H. (2006) Host preferences of bat flies: Following the bloody path of stable isotopes in a host-parasite food chain. **Canadian Journal of Zoology** 84(3): 397-403
28. Voigt, C.C., Lehmann, G.U.C., Michener, R., Joachimski, M.M. (2006) Nuptial feeding is reflected in tissue nitrogen isotope ratios of female katydids. **Functional Ecology** 20: 656–661
27. Voigt, C.C., Peschel, U., Wibbelt, G., Frölich, K. (2006) Validation of a new and less stressful blood-sampling technique for antibody analyses in wild and captive animals. **Journal of Wildlife Diseases** 42(2) 466-469.
26. Behr, O., Mayer, F., Heckel, G., Nagy, M., Voigt, C.C., Helversen O. von (2006) Territorial songs indicate male quality in the sac-winged bat *Saccopteryx bilineata* (Chiroptera, Emballonuridae) **Behavioral Ecology** 18: 810-817
25. Thomsen, R., Voigt, C.C. (2006) Non-invasive blood sampling from primates using laboratory-bred blood-sucking bugs (*Dipetalogaster maximus*; Reduviidae, Heteroptera). **Primates** 47: 397-400.
24. Voigt, C.C., G. Heckel, von Helversen. O. (2006) Conflicts and strategies in the harem-polygynous mating system of the sac-winged bat, *Saccopteryx bilineata*. Pp. 269-289. In: **Functional and Evolutionary Ecology of Bats** (A. Zubaid, G.F. McCracken, and T.H. Kunz, eds.). Oxford University Press, New York.
23. Voigt, C.C. (2006) Einsatz stabiler Isotopen in der Verhaltensbiologie. In: **Methoden der Verhaltensforschung**. Ed. M. Naguib. Pp. 206-209.

## 2005

22. Voigt, C.C., Heckel, G., Mayer, F. (2005) Sexual selection favours small and symmetric males in the polygynous greater sac-winged bat *Saccopteryx bilineata* (Emballonuridae, Chiroptera). **Behavioural Ecology and Sociobiology** 57: 457-464.
21. Voigt, C.C., Caspers, B., Speck, S. (2005) Bats, bacteria, and bat smell: Sex-specific diversity of microbes in a sexually selected scent organ. **Journal of Mammalogy** 86: 745–749.
20. Voigt, C.C., Kunz, T.H., Michener, R. (2005) The energetics of trading nuptial gifts with copulations in katydids. **Physiological Biochemistry and Zoology** 78: 417-423.
19. Voigt, C.C., Michener, R., Wibbelt, G., Kunz, T.H., von Helversen, O. (2005) Blood-sucking bugs as a gentle method for blood-collection in water budget studies using doubly labelled water. **Comparative Biochemistry and Physiology A** 142: 318-324.

18. Voigt, C.C. (2005) The evolution of wing sacs and perfume-blending in the emballonurid bats. In: **Chemical Signals in Vertebrates X**. (R. Mason, M. LeMaster, D. Müller-Schwarze, eds.). Springer Verlag. Pp.93-100.

#### 2004

17. Voigt, C.C., Faßbender, M., Dehnhard, M., Jewgenow, K., Wibbelt, G., Hofer, H., Schaub, G.A. (2004) Validation of a minimally invasive blood sampling technique for hormonal analysis in domestic rabbits. **General and Comparative Endocrinology**. 135: 100-107.
16. Voigt, C.C., Matt, F. (2004) Nitrogen stress causes unpredictable enrichments of <sup>15</sup>N in two nectar-feeding bat species. **Journal of Experimental Biology** 207: 1741-1748.
15. Voigt, C.C. (2004) The power requirements in nectar-feeding bats (Glossophaginae, Phyllostomidae) for clinging to flowers. **Journal of Comparative Physiology B** 174: 541-548
14. Voigt, C.C., Hofer, H. (2004) Contributions to the 5<sup>th</sup> International Symposium on Physiology, Behaviour and Conservation of Wildlife. Advances in Ethology – Supplements to **Ethology** Vol 38. Blackwell Verlag, Oxford, pp.1-170. ISSN 0301-2808.

#### 2003

13. Voigt, C.C., Streich J. (2003) Queuing for harem ownership in colonies of the sac-winged bat. **Animal Behaviour**, 65: 149-156.
12. Voigt, C.C. (2003) Reproductive energetics of the nectar-feeding bat *Glossophaga soricina* (Phyllostomidae). **Journal of Comparative Physiology B**. 173: 79-85.
11. Voigt, C.C., Matt, F., Michener, R., Kunz T.H. (2003) Low rates of carbon isotope turnover in tissues of two nectar-feeding bat species (Glossophaginae, Phyllostomidae). **Journal of Experimental Biology**. 206: 1419-1427.
10. Voigt, C.C., von Helversen O., Michener, R. and T.H. Kunz. (2003) Validation of a non-invasive blood-sampling technique for doubly-labelled water experiments. **Journal of Experimental Zoology**, 296 A: 87-97
9. Voigt, C.C. (2003) Sac-winged bats, Sheath-tailed bats, and Ghosts bats (Emballonuridae). **Grizmek's Life Encyclopedia: Mammals II**. Volume 13. (Devra G. Kleiman, Valerius Geist, Michael Hutchins, and Melissa C. McDade, eds.). Pp. 355-365, Farmington Hills, Michigan: Gale Group.

#### Before 2002

8. Helversen, O. von, Voigt, C.C. (2002) Glossophagine bat pollination in *Helicteres baruensis* (Sterculiaceae). **Ecotropica**, 8: 23-30.

7. Voigt, C.C. (2002) Individual variation of perfume-blending in male sac-winged bats. **Animal Behaviour**. 63: 907-913.
6. Voigt, C.C., Helversen O. von, Michener, R., Kunz, T.H. (2001) The economics of harem maintenance in the sac-winged bat, *Saccopteryx bilineata*. **Behavioral Ecology and Sociobiology**, 50: 31-36.
5. Voigt, C.C. (2000) Intraspecific scaling of flight costs in the bat *Glossophaga soricina* (Phyllostomidae). **Journal of Comparative Physiology B**. 170 5/6: 403-410.
4. Voigt, C.C., Winter, Y. (1999) The energetic costs of hovering flight in nectar-feeding bats (Phyllostomidae, Glossophaginae) and its scaling in sphingid moths, hummingbirds and bats. **Journal of Comparative Physiology B** 169:38-48.
3. Voigt, C.C., Helversen, O. von (1999) Storage and display of odor by male *Saccopteryx bilineata* (Chiroptera; Emballonuridae). **Behavioral Ecology and Sociobiology** 47:29-40.
2. Heckel, G., Voigt, C.C., Mayer, F., Helversen, O. von (1999) Extra-harem paternity in the White-lined bat *Saccopteryx bilineata*. **Behaviour** 136: 1173-1185.
1. Winter, Y., Voigt, C., Helversen, O. von (1998). Gas exchange during hovering flight in a nectar-feeding bat *Glossophaga soricina*. **Journal of Experimental Biology** 201:237-244.

#### **Publications without peer-review process**

5. Voigt, C.C. (2010) Moderne Wildtierforschung im Dienste des Naturschutzes. X-Lab Göttingen. In press.
4. Voigt, C.C., Wibbelt, G. (2010) Abstract volume: **2<sup>nd</sup> International Berlin Bat Meeting: Bat Biology and Infectious Diseases**. Eigenverlag
3. Voigt, C.C., Heller, K.-G., Holderied, M., Mayer, F., Tschapka, M., Volleth, M., Winter Y. (2009) An inquisitive mind: Prof. Dr. Otto Freiherr von Helversen-Helversheim (1943-2009) **Acta Chiropterologica**
2. Voigt, C.C. (2009) Kryptische Diversität und kryptische Ökologie: Fledermäuse als Spezialfall unter den Säugetieren - Cryptic diversity and cryptic ecology: Bats are special within the class Mammalia. **Berliner und Münchner Tierärztliche Wochenschrift**
1. Voigt, C.C., Popa-Lisseanu, A. (2009) Abstract volume: **1<sup>st</sup> International Symposium on Bat Migration**. Eigenverlag