

Publications Dr. Sylvia Ortmann

Refereed Journals

Arnold W, Heldmaier G, Ortmann S, Pohl H, Ruf T, Steinlechner S (1991) Ambient temperature in hibernacula and their energetic consequences for Alpine marmots (*Marmota marmota*). *J. Therm. Biol.* 16(4): 223-226

Ortmann S, Schmid J, Ganzhorn J, Heldmaier G (1997) Spontaneous daily torpor in malagasy mouse lemurs. *Naturwissenschaften* 84, 28-32

Ortmann S, Heldmaier G (2000) Regulation of body temperature and energy requirements of hibernating Alpine marmots (*Marmota marmota*). *Am. J. Physiol.* 278, R698-R704

Daenzer M, Ortmann S, Klaus S, Metzges CC (2002) Prenatal high protein exposure affects energy expenditure and adiposity in young rats. *J Nutr.* 132: 142-144

Wiedmer P, Ortmann S, Klaus S (2002) Energy metabolism of young rats after early postnatal overnutrition. *Br. J. Nutr.* 88(3): 301-306

Couplan E, Gelly C, Gubern M, Fleury C, Quesson B, Silberberg M, Thiaudiere E, Mateo P, Longchamp M, Levens N, De Montrion C, Ortmann S, Klaus S, Cassard-Doulier A M, Ricquier D, Bigard AX, Diolez P, Bouillaud F (2002) High level of UCP1 expression in muscle of transgenic mice affects selectively muscles at rest and decreases their fiber IIb content. *J. Biol. Chem.* 277 (45) 43079-88

Cota D, Marsicano G, Tschöp M, Grübler Y, Flachskamm C, Schubert M, Auer D, Yassouridis A, Thöne-Reineke C, Ortmann S, Tomassoni F, Cervino C, Nisoli E, Linthorst ACE, Pasquali R, Lutz B, Stalla GK, Pagotto U (2003) The endogenous cannabinoid system affects energy balance via central orexigenic drive and peripheral lipogenesis. *J. Clin. Invest.* 112(3) 423-431

Ortmann S, Prinzler J, Klaus S (2003) Self-selected macronutrient diet affects energy and glucose metabolism in brown fat-ablated mice. *Obesity Research* 11(12): 1536-1544

Tschöp M, Castañeda TR, Joost HG, Thöne-Reineke C, Ortmann S, Klaus S, Hagan MM, Chandler PC, Oswald KD, Benoit SC, Seeley RJ, Kinzig KP, Moran TH, Beck-Sickinger AG, Koglin N, Rodgers RJ, Blundell JE, Ishii Y, Beattie AH, Holch P, Allison DB, Raun K, Madsen K, Wulff BS, Stidsen CE, Birringer M, Kreuzer O, Schindler M, Arndt K, Rudolf K, Mark M, Deng XY, Withcomb DC, Halem H, Taylor J, Dong J, Datta R, Culler M, Craney S, Flora D, Smiley D, Heiman ML. (2004) Does gut hormone PYY3-36 decrease food intake in rodents? *Nature*, 2004 Jul 8;430(6996) doi 10.1038/nature02665

Tang-Christensen M, Vrang N, Ortmann S, Bidlingmaier M, Horvath T, Tschöp M. (2004) Central administration of Ghrelin and Agouti-related Protein increases food intake and decreases spontaneous locomotor activity in rats. *Endocrinology* 145(10): 4645-4652

Heldmaier G, Ortmann S, Elvert R, (2004) Natural Hypometabolism during Hibernation and Daily Torpor in Mammals. *Respiratory Physiology & Neurobiology* 141(3): 317-329

Ortmann S, Kampe J, Gossel M, Bickel M, Geisen K, Jähne G, Lang HJ, Klaus S. (2004) The novel anti-obesic HMR1426 reduces food intake without affecting energy expenditure in rats. *Obesity research* 12(8): 1290-1297

Clauss M, Schwarm A, Ortmann S, Alber D, Flach EJ, Kühne R, Hummel J, Streich WJ, Hofer H, (2004) Intake, ingesta retention, particle size distribution and digestibility in the hippopotamidae *Comparative Biochemistry and Physiology A* 139(4): 449-459

Clauss M, Polster C, Kienzle E, Wiesner H, Baumgartner K, von Houwald F, Ortmann S, Streich W J, Dierenfeld E S, (2005) Studies on digestive physiology and feed digestibilities in captive Indian rhinoceros (*Rhinoceros unicornis*). *Journal of Animal Physiology and Animal Nutrition* 89:

Flores-Miyamoto K, Clauss M, Ortmann S, Sainsbury AW, (2005) The nutrition of captive Lowland anoa (*Bubalus depressicornis*): a study on passage rates, intake, digestibility, and a diet survey. *Zoo Biology* 24 (2): 125-134

Clauss M, Froeschle T, Castell J, Hatt JM, Ortmann S, Streich WJ, Hummel J, (2005) Fluid and particle retention times in the black rhinoceros *Diceros bicornis*, a large hindgut-fermenting browser *Acta Theriologica* 50 (3): 367-376

Boggiano MM, Chandler PC, Oswald KD, Rodgers RJ, Blundell JE, Ishii Y, Beattie AH, Holch P, Allison DB, Schindler M, Arndt K, Rudolf K, Mark M, Schoelch C, Joost HG, Klaus S, C. Thöne-Reineke C, Benoit SC, Seeley RJ, Beck-Sickingler AG, Koglin N, Raun K, Madsen K, Wulff BS, Stidsen CE, Birringer M, Kreuzer OJ, Deng XY, Whitcomb DC, Halem H, Taylor J, Dong J, Datta R, Culler M, Ortmann S, Castañeda TR and Tschöp M, (2005) PYY3-36 as an antiobesity drug target. *Obes. Rev.* 6, 307-322

Hatt JM, Schaub D, Wanner M, Wettstein HR, Flach EJ, Tack C, Haessig M, Ortmann S, Hummel J, Clauss M, (2005) Energy and fiber intake in a group of captive giraffe (*Giraffa camelopardalis*) offered increasing amounts of browse. *J Vet Med A* 52: 485-490

Jürgens HS, Schürmann A, Kluge R, Ortmann S, Klaus S, Joost H-G & Tschöp MH, (2006) Hyperphagia, lower body temperature, and reduced running wheel activity precede the development of morbid obesity in New Zealand Obese mice. *Physiol. Genomics* 25(2): 234-241

Clauss M, Streich WJ, Schwarm A, Ortmann S, Hummel J (2007) The relationship of food intake and ingesta passage predicts feeding ecology in two different megaherbivore groups *OIKOS* 116 (2): 209-216

Clauss M, Besselmann D, Schwarm A, Ortmann S, Hatt JM (2007) Demonstrating coprophagy with passage markers? The example of the plains viscacha (*Lagostomus maximus*). *Comp Biochem Physiol A Mol Integr Physiol.* 147(2):453-9

Jurgens HS, Neschen S, Ortmann S, Scherneck S, Schmolz K, Schuler G, Schmidt S, Blüher M, Klaus S, Perez-Tilve D, Tschöp MH, Schürmann A, Joost HG (2007) Development of diabetes in obese, insulin-resistant mice: essential role of dietary carbohydrate in beta cell destruction. *Diabetologia* 50(7):1481-9.

Clauss M, Schwarm A, Ortmann S, Streich WJ, Hummel J (2007) A case of non-scaling in mammalian physiology? Body size, digestive capacity, food intake, and ingesta passage in mammalian herbivores. *Comp Biochem Physiol A Mol Integr Physiol.* 148(2):249-265

Clauss M, Castell JC, Kienzle E, Dierenfeld ES, Flach EJ, Behlert O, Ortmann S, Streich WJ, Hummel J, Hatt J-M (2007) The influence of dietary tannin supplementation on digestive performance in captive black rhinoceros (*Diceros bicornis*) *Journal of Animal Physiology and Animal Nutrition* 91 (11-12): 449-458

Ganas J, Ortmann S, Robbins M (2008) Food choice strategies of mountain gorilla groups in Bwindi Impenetrable National Park, Uganda *Folia Primatologia* 79 (5): 331-332

Ganas J, Ortmann S, Robbins M (2008) Food preferences of Wild Mountain Gorillas *Am J Primatology* 70 (10): 927-938

Clauss M, Streich WJ, Nunn CL, Ortmann S, Hohmann G, Schwarm A, Hummel J (2008) The influence of natural diet composition, food intake level, and body size on ingesta passage in primates *Comp Biochem Physiol A Mol Integr Physiol.* 150(3):274-281

Schwarm A, Ortmann S, Wolf C, Streich WJ, Clauss M (2008) Excretion patterns of fluid and different sized particle passage markers in banteng (*Bos javanicus*) and pygmy hippopotamus (*Hexaprotodon liberiensis*): Two functionally different foregut fermenters *Comp Biochem Physiol A Mol Integr Physiol.* 150(1): 32-39

Kelm DH, Schaer J, Ortmann S, Wibbelt G, Speakman JR, Voigt CC (2008) Efficiency of facultative frugivory in the nectar-feeding bat *Glossophaga commissarisi*: the quality of fruits as an alternative food source *J Comp Physiol B* 178 (8): 985-996

Schwarm, A; Ortmann, S; Wolf, C; Streich, W J; Clauss, M (2009). More efficient mastication allows increasing intake without compromising digestibility or necessitating a larger gut: Comparative feeding trials in banteng (*Bos javanicus*) and pygmy hippopotamus (*Hexaprotodon liberiensis*). *Comparative Biochemistry and Physiology -Part A, Molecular and Integrative Physiology*, 152(4):504-512

Schwarm, A; Ortmann, S; Wolf, C; Streich, W J; Clauss, M (2009). Passage marker excretion in red kangaroo (*Macropus rufus*), collared peccary (*Pecari tajacu*) and colobine monkeys (*Colobus angolensis*, *C. polykomos*, *Trachypithecus johnii*). *Journal of Experimental Zoology Part*, 311(9):647-661

Schwarm, A; Schweigert, M; Ortmann, S; Hummel, J; Janssens, G P J; Streich, W J; Clauss, M (2009). No easy solution for the fractionation of faecal nitrogen in captive wild herbivores: results of a pilot study. *Journal of Animal Physiology and Animal Nutrition*, 93(5):596-605

Ganas J, Ortmann S, Robbins M (2009) Food choices of the mountain gorilla in Bwindi Impenetrable National Park, Uganda: the influence of nutrients, phenolics and availability. *J Trop Ecol* 25: 123-134

N'guessan A, Ortmann S, Boesch C (2009) Daily energy balance and protein gain among *Pan troglodytes* versus in the Tai National Park, Cote d' Ivoire. *Int J Primatol* 30: 481-496

Hummel, J; Südekum, K H; Bayer, D; Ortmann, S; Streich, W J; Hatt, J M; Clauss, M (2009). Physical characteristics of reticuloruminal contents of oxen in relation to forage type and time after feeding. *Journal of Animal Physiology and Animal Nutrition*, 93(2):209-220.

Schwarm, A; Ortmann, S; Wolf, C; Clauss, M (2009). No distinct difference in the excretion of large particles of varying size in a wild ruminant, the banteng (*Bos javanicus*). *European Journal of Wildlife Research*, 55(5):531-533.

Hohmann G, Potts K, N'Guessan A, Fowler A, Mundry R, Ganzhorn JU, Ortmann S (2010) Plant foods consumed by *Pan*: Exploring the variation of nutritional ecology across Africa. *Am J Physical Anthropology* DOI 10.1002/ajpa.21168

Book chapters

Ortmann S, Heldmaier G (1991) Energetics of hibernating and normothermic Alpine marmots. *Proc. of the 1st International Symposium on Alpine marmot (*Marmota marmota*) and the genus marmota*. Bassanto B, Durio P, Gallo Ursi U, Macchi E. (eds.) Torino, Italy; pp. 221-225

Heldmaier G, Ortmann S, Körtner G (1993) Energy requirements of hibernating Alpine marmots. *Life in the cold: Ecological, physiological and molecular mechanisms*; Carey C, Florant GL, Wunder BA, Horwitz B (eds.) Westview Press, Boulder Colorado, USA; pp. 175-183

Ortmann S, Schmid J, Ganzhorn J, Heldmaier G (1996) Body temperature and torpor in a malagasy small primate, the mouse lemur. *Adaptions to the cold, 10th International hibernation symposium*, Geiser F, Hulbert AJ, Nicol SC (eds.); University of New England Press; Cradle Mountain, Tasmanien, Australien; pp. 55-61

Drack S, Ortmann S, Bührmann N, Schmid J, Warren R, Heldmaier G, Ganzhorn JU (1999) Field Metabolic Rate and the Cost of Locomotion of the Red-Tailed Sportive Lemur (*Lepilemur ruficaudatus*). *New Directions in Lemur Research*. Rakotosamimanana B, Rasamimanana H, Ganzhorn JU, Goodman SM (eds.). Kluwer Academic / Plenum Publishers, New York 83-91

Ganzhorn JU, Klaus S, Ortmann S, Schmid J (2003) Adaptations to seasonality: some primate and non-primate examples. In: *Primate Life Histories and Socioecology*. Kappeler PM, Pereira ME (eds) The University of Chicago Press, Chicago, Illinois, USA. 132-144

Ortmann S, Bradley BJ, Stolter C and Ganzhorn JU (2006) Estimating the quality and composition of wild animal diets – a critical survey of methods. In: *Feeding Ecology of Apes and other Primates*. Hohmann, G, Robbins, MM, Boesch, C. (eds). Cambridge University Press, Cambridge. 397-420

Hohmann G, Fowler A, Sommer V, Ortmann S (2006) Feeding ecology of Salonga bonobos and Gashaka chimpanzees: comparison of food abundance, phytochemistry, and gregariousness. In: *Feeding Ecology of Apes and other Primates*. Hohmann, G, Robbins, MM, Boesch, C. (eds). Cambridge University Press, Cambridge. 123-159

Voigt CC, Kelm D, Bradley B, Ortmann S (2009) Dietary Analysis of Plant-Visiting Bats. In: *Ecological and Behavioral Methods for the Study of Bats*. Kunz TH & Parsons S (eds). The Johns Hopkins University Press, Baltimore, Maryland, USA. 593-609