

*Publications from the Spotted Hyaena Research Group*

- East ML (in press) Global climate change and disease transmission in European ungulates. In: Putman RJ, Apollonio M and Andersen R (eds) *Ungulate management in Europe: problems and practices*. Cambridge University Press, Cambridge.
- East ML, Bassano B, Ytrehus B (in press) The role of pathogens in the population dynamics of European ungulates. In: Putman RJ, Apollonio M and Andersen R (eds) *Ungulate management in Europe: problems and practices*. Cambridge University Press, Cambridge.
- Hofer H, East ML (in press) Stress and immunosuppression as factors in the decline and extinction of wildlife populations: the concepts, the evidence and the challenges. In: Aguirre AA, Daszak P, Ostfeld RS (eds) *Conservation medicine: applied cases of ecological health*. Oxford University Press, New York.
- Goller KV, Fyumagwa RD, Nikolin V, East ML, Kilewo M, Speck S, Müller T, Matzke M, Wibbelt G **2010**. Fatal canine distemper infection in a pack of African wild dogs in the Serengeti ecosystem, Tanzania. *Veterinary Microbiology* **146**, 245-252.
- Hofer H, East ML **2010**. Impact of global climate change on wildlife hosts and their pathogens. *Nova Acta Leopoldina NF III*, Nr. 381, 105-112.
- Höner OP, Wachter B, Hofer H, Wilhelm K, Thierer D, Burke T, Trillmich F, East ML **2010**. The fitness of dispersing spotted hyaena sons is influenced by maternal social status. *Nature Communications* **1**, 60. doi: <http://dx.doi.org/10.1038/ncomms1059>
- East ML, Hofer H **2010**. Social environments, social tactics and their fitness consequences in complex mammalian societies. In: Szekely T, Moore AJ, Komdeur J (eds) *Social behaviour: genes, ecology and evolution*, pp 360-390. Cambridge University Press, Cambridge.
- Goymann W, Hofer H **2010**. Mating systems, social behaviour and hormones. In: Kappeler P (ed) *Animal behaviour: evolution and mechanisms*, pp 465-501. Springer Verlag, Heidelberg, New York.
- Burgener N, Dehnhard M, Hofer H, East ML **2009**. Does anal gland scent signal identity in the spotted hyaena? *Animal Behaviour* **77**: 707-715.
- East ML, Höner OP, Wachter B, Wilhelm K, Burke T, Hofer H **2009**. Maternal effects on offspring social status in spotted hyenas. *Behavioral Ecology* **20**: 478-483.
- Hofer H, East ML **2008** Siblicide in Serengeti spotted hyenas: a long-term study of maternal input and cub survival. *Behavioral Ecology and Sociobiology* **62**: 341-351.
- East ML, Wibbelt G, Lieckfeldt D, Ludwig A, Goller K, Wilhelm K, Schares G, Thierer D, Hofer H **2008**. A *Hepatozoon* species genetically distinct from *H.canis* infecting spotted hyenas in the Serengeti ecosystem, Tanzania. *Journal of Wildlife Diseases* **44(1)**: 45-52.

- Gusset-Burgener N **2008**. Olfactory Communication in a Fission-Fusion Society: The Function of Scent Marking in Spotted Hyenas, *Crocuta crocuta*. Dissertation, FB Biologie, Free University Berlin, Logos Verlag Berlin, 142 pp.
- Burgener N, East ML, Hofer H, Dehnhard M **2008**. Do spotted hyena scent marks code for clan membership? In: Hurst J, Beynon R, Müller-Schwarze D (eds) *Chemical Signals in Vertebrates XI*, pp 169-177. Springer Verlag, Berlin, Heidelberg, New York, Germany, USA.
- Höner OP, Wachter B, East ML, Streich WJ, Wilhelm K, Burke T, Hofer H **2008**. Do female hyenas choose mates based on tenure? Reply. *Nature* **454**: E2. doi:10.1038/nature07123.
- East ML, Hofer H **2007**. Hyenas and humans. In: Bekoff M (ed) *Encyclopedia of human-animal relationships. A global exploration of our connections with animals*, pp 1137-1140. Greenwood Press, Westport, Connecticut, London.
- Höner OP, Wachter B, East ML, Streich WJ, Wilhelm K, Burke T, Hofer H **2007** Female mate choice drives the evolution of male-biased dispersal in a social mammal. *Nature* **448**: 798-801.
- Höner OP, Wachter B, Speck S, Wibbelt G, Ludwig A, Fyumagwa RD, Wohlsein P, Lieckfeldt D, Hofer H, East ML **2006** Severe *Streptococcus* infection in spotted hyenas in the Ngorongoro Crater, Tanzania. *Veterinary Microbiology* **115**: 223-228.
- Nyahongo, JW, East ML, Mturi FA, Hofer H **2005** Benefits and costs of illegal grazing and hunting in the Serengeti ecosystem. *Environmental Conservation* **32**: 326-332.
- East ML, Hofer H **in press** Bone accumulations at the communal dens of spotted hyenas in the Serengeti. *Archaeo Zoologica*
- Höner OP, Wachter B, East ML, Runyoro VA, Hofer H **2005** The effect of prey abundance and foraging tactics on the population dynamics of a social, territorial carnivore, the spotted hyena. *Oikos* **108(3)**: 544-554.
- Borchers K, Wiik H, Frölich K, Ludwig H, East ML **2005** Antibodies against equine herpesviruses and equine arteritis virus in Burchell's zebras (*Equus burchelli*) from the Serengeti ecosystem. *Journal of Wildlife Diseases* **41(1)**: 80-86.
- Grange S, Duncan P, Gaillard JM, Sinclair ARE, Gogan PJP, Packer C, Hofer H, East M **2004** What limits the Serengeti zebra population? *Oecologia* **140**: 523-532.
- Peters G, East ML, Herzog H, Henschel JR, Mills MGL, Wilhelm K, Hofer H **2004** Spotted hyena whoops: frequent incidence of vocal instabilities in a mammalian loud call. *Bioacoustics* **14(2)**: 99-109.
- East ML, Moestl K, Benetka V, Pitra C, Höner OP, Wachter B, Hofer H **2004** Coronavirus infection of spotted hyenas in the Serengeti ecosystem. *Veterinary Microbiology* **102(1-2)**: 1-9.

- Hofer H, East ML **2003** Behavioral processes and costs of co-existence in female spotted hyenas: a life history perspective. *Evolutionary Ecology* **17(4)**: 315-331.
- Goymann W, East ML, Hofer H **2003b** Defense of females, but not social status, predicts plasma androgen levels in male spotted hyenas. *Physiological and Biochemical Zoology* **76(4)**: 586-593.
- Wilhelm K, Dawson DA, Gentle LK, Horsfield GF, Schlötterer C, Greig C, East M, Hofer H, Tautz D, Burke T **2003** Characterization of spotted hyena, *Crocuta crocuta* microsatellite loci. *Molecular Ecology Notes* **3**: 360-362.
- East ML, Burke T, Wilhelm K, Greig C, Hofer H **2003** Sexual conflicts in spotted hyenas: male and female mating tactics and their reproductive outcome with respect to age, social status and tenure. *Proceedings of the Royal Society of London B* **270(1521)**: 1247-1254.
- Goymann W, East ML, Wachter B, Höner OP, Möstl E, Hofer H **2003a** Social status does not predict corticosteroid levels in postdispersal male spotted hyenas. *Hormones & Behavior* **43(4)**: 474-479.
- Albert R **2002** Genstruktur und Genfluß in ausgewählten Populationen der Tüpfelhyäne (*Crocuta crocuta*). Dissertation, FB Veterinärmedizin, Free University Berlin, 154 pp.
- Wachter B, Höner OP, East ML, Golla W, Hofer H **2002** Low aggression levels and unbiased sex ratios in a prey-rich environment: no evidence of siblicide in Ngorongoro spotted hyenas. *Behavioral Ecology and Sociobiology* **52(4)**: 348-356. DOI 10.1007/s00265-002-0522-y
- East ML, Hofer H **2002** Conflict and cooperation in a female-dominated society: a reassessment of the "hyperaggressive" image of spotted hyenas. *Advances in the Study of Behavior* **31**: 1-30.
- Höner OP, Wachter B, East ML, Hofer H **2002** The response of spotted hyenas to long-term changes in prey populations: functional response and interspecific kleptoparasitism. *Journal of Animal Ecology* **71(2)**: 236-246.
- Loibooki M, Hofer H, Campbell KLI, East ML **2002** Bushmeat hunting by communities adjacent to the Serengeti National Park, Tanzania: the importance of livestock ownership and alternative sources of protein and income. *Environmental Conservation* **29(3)**: 391-398.
- East ML, Hofer H, Cox JH, Wulle U, Wiik H, Pitra C **2001** Regular exposure to rabies virus and lack of symptomatic disease in Serengeti spotted hyenas. *Proceedings of the National Academy of Sciences of the United States of America* **98(26)**: 15026-15031.
- Goymann W, East ML, Wachter B, Höner O, Möstl E, Van't Hof TJ, Hofer H **2001b** Social, state-dependent and environmental modulation of faecal corticosteroid levels in free-ranging female spotted hyenas. *Proceedings of the Royal Society of London B* **268(1484)**: 2453-2459

- Hofer H, East ML, Sämman I, Dehnhard M **2001** Analysis of volatile compounds in scent-marks of spotted hyenas (*Crocuta crocuta*) and their possible function in olfactory communication. In: Marchlewska-Koj A, Lepri JJ, Müller-Schwarze D (eds) *Chemical signals in vertebrates* 9, pp 141–148. New York: Plenum Press.
- Sämman I **2001** Untersuchungen zur chemischen Zusammensetzung und biologischen Wirksamkeit von Substanzen in Geruchsmarkierungen der Tüpfelhyäne. Diploma thesis, University of Düsseldorf. 97 pp.
- East ML, Hofer H **2001** Male spotted hyenas (*Crocuta crocuta*) queue for status in social groups dominated by females. *Behavioral Ecology* **12(5)**: 558-568.
- Höner OP **2001** Responses of spotted hyenas *Crocuta crocuta* to long-term changes in herbivore populations in the Ngorongoro Crater, Tanzania. PhD thesis, University of Berne, Switzerland.
- Wachter B **2001** Facultative siblicide, female mate choice and male reproductive success in the female-dominated spotted hyena, *Crocuta crocuta*. PhD thesis, University of Berne, Switzerland.
- East ML, Burrows R **2001** The efficacy of inactivated rabies vaccine for the protection of African wild dogs (*Lycaon pictus*) against viral challenge: a review. *Erkrankungen der Zootiere (Verhandlungsbericht des Symposiums über die Erkrankungen der Zoo- und Wildtiere)* **40**: 233-242.
- Goymann W, East ML, Hofer H **2001a** Androgens and the role of female ‘hyperaggressiveness’ in spotted hyenas (*Crocuta crocuta*). *Hormones and Behavior* **39(1)**: 83-92.
- Hofer H, East ML **2000** Conflict management in female-dominated spotted hyenas. In: Aureli F, de Waal FBM (eds) *Natural conflict resolution*, pp 232-234. Berkeley: University of California Press.
- Colmenares F, Hofer H, East ML **2000** Greeting ceremonies in baboons and hyenas. In: Aureli F, de Waal FBM (eds) *Natural conflict resolution*, pp 94-96. Berkeley: University of California Press.
- Hofer H, Campbell KLI, East ML, Huish S **2000** Modeling the spatial distribution of the economic costs and benefits of illegal game meat hunting in the Serengeti. *Natural Resource Modeling* **13(1)**: 151-177.
- Albert R, Hofer H, East M, Pitra C **2000** Genetische Identifizierung der geographischen Herkunft von Tüpfelhyänen (*Crocuta crocuta*). *Zoologischer Garten N.F.* **70**: 1-10.
- Goymann W **2000** Hormone physiology and life history of spotted hyenas, *Crocuta crocuta*. PhD thesis, University of Munich, Germany.

- James WH, Hofer H **1999** A note on sex ratios and sex combinations in Serengeti spotted hyaenas: siblicide and sub-binomial variance. *Applied Animal Behaviour Science* **65(2)**:153-158.
- Golla W, Hofer H, East ML **1999** Within-litter sibling aggression in spotted hyaenas: effect of maternal nursing, sex and age. *Animal Behaviour* **58(4)**: 715-726.
- Goymann W, Möstl E, Van't Hof T, East ML, Hofer H **1999** Noninvasive fecal monitoring of glucocorticoids in spotted hyenas, *Crocuta crocuta*. *General and Comparative Endocrinology* **114(3)**: 340-348.
- Carpenter MA, Appel MJG, Roelke-Parker ME, Munson L, Hofer H, East M, O'Brien SJ **1998** Genetic characterization of canine distemper virus in Serengeti carnivores. *Veterinary Immunology and Immunopathology* **65(2-4)**: 259-266.
- Mills MGL, Hofer H (eds) **1998** *Hyaenas: Status Survey and Conservation Action Plan*. Gland: IUCN. 154pp.
- Hofer H, East ML **1998** Biological conservation and stress. In: Møller AP, Milinski M, Slater PJB (eds) *Stress and Behavior. Advances in the Study of Behavior* **27**: 405-525.
- East ML, Hofer H, Burrows R **1997** Stress hormones and radiocollaring of African wild dogs. *Conservation Biology* **11(6)**: 1451-1453.
- East ML, Hofer H **1997** The peniform clitoris of female spotted hyaenas. *Trends in Ecology & Evolution* **12(10)**: 401-402.
- Loibooki M **1997** People and poaching. The interaction between people and wildlife in and around Serengeti National Park, Tanzania. Msc thesis, University of Reading, UK.
- Golla W **1997** When, why, and how to be aggressive: competition for milk in spotted hyaena siblings (*Crocuta crocuta*, Erleben). PhD thesis, University of Munich.
- Hofer H **1997** Serengeti-Tüpfelhyänen: Ein Modell zur Untersuchung des Anpassungswertes von Verhaltensweisen. Habilitation, University of Munich.
- East ML **1997** More on painted wolves. *Swara (Journal of the East African Wildlife Society)* **20(2)**: 36-36.
- Hofer H, East ML **1997** Skewed offspring sex ratios and sex composition of twin litters in Serengeti spotted hyaenas (*Crocuta crocuta*) are a consequence of siblicide. *Applied Animal Behaviour Science* **51**: 307-316.
- Moehlman PD, Hofer H **1997** Cooperative breeding, reproductive suppression, and body mass in canids. In: Solomon N, French J (eds) *Cooperative Breeding in Mammals*, pp. 76-123. Cambridge: Cambridge University Press.
- Moehlman PD, Runyoro VA, Hofer H **1997** Wildlife population trends in the Ngorongoro Crater. In Thompson DM (ed) *Multiple-land use: the experience of the Ngorongoro Conservation Area, Tanzania*, pp. 59-69. Gland: IUCN.

- East ML & Hofer H **1996** Wild dogs in the Serengeti ecosystem: what really happened. *Trends in Ecology and Evolution* **11(12)**: 509-509.
- Hofer H & East ML **1996** The components of parental care and their fitness consequences: a life history perspective. *Verhandlungen der Deutschen Zoologischen Gesellschaft* **89.2**: 149-164
- Hofer H, Campbell KLI, East ML, Huish SA **1996** The impact of game meat hunting on target and non-target species in the Serengeti. In: Taylor VJ, Dunstone N (eds) *The exploitation of mammal populations*, pp. 117-146. London: Chapman & Hall.
- Haas L, Hofer H, East M, Wohlsein P, Liess B, Barrett T **1996** Canine distemper virus infection in Serengeti spotted hyaenas. *Veterinary Microbiology* **49(1-2)**: 147-152.
- East ML **1996** Survivorship in African wild dogs. *Conservation Biology* **10(2)**: 313-313.
- East ML, Hofer H **1996** Wild dogs in the Serengeti. *Science* **271(5247)**: 275-276
- Spong G **1995** Spatial pattern and size of the spotted hyena (*Crocuta crocuta*) population on the short-grass plains of Serengeti, Tanzania. Msc thesis, Uppsala University, Uppsala, Sweden. 23pp
- Runyoro VA, Hofer H, Chausi EB, Moehlman PD **1995** Long-term trends in the herbivore populations of the Ngorongoro Crater, Tanzania. In: Sinclair ARE, Arcese P (eds) *Serengeti II. Dynamics, Management, and Conservation of an Ecosystem*, pp. 146-168. Chicago: University of Chicago Press.
- Hofer H, East ML **1995a** Population dynamics, population size and the commuting system of Serengeti spotted hyenas. In: Sinclair ARE, Arcese P (eds) *Serengeti II. Dynamics, Management, and Conservation of an Ecosystem*, pp. 332-363. Chicago: University of Chicago Press.
- Hofer H, East ML **1995b** Virilized sexual genitalia as adaptations of female spotted hyaenas. *Revue Suisse de Zoologie* **102**: 895-906.
- Campbell KLI, Hofer H **1995** People and wildlife: spatial dynamics and zones of interaction. In: Sinclair ARE, Arcese P (eds) *Serengeti II. Dynamics, Management, and Conservation of an Ecosystem*, pp. 535-574. Chicago: University of Chicago Press.
- Burrows R, Hofer H, East ML **1995** Population dynamics, intervention and survival in African wild dogs (*Lycaon pictus*). *Proceedings of the Royal Society of London B* **262(1364)**: 235-245.
- Burrows R, Hofer H, East ML **1994** Demography, extinction and intervention in a small population: the case of the Serengeti wild dogs. *Proceedings of the Royal Society of London B* **256(1347)**: 281-292.
- Golla W **1993** Aggression während des Saugens bei jungen Tüpfelhyänen (*Crocuta crocuta*, Erxleben). Diploma thesis, University of Munich, Munich, Germany. 61pp

- Hofer H, East ML, Campbell KLI **1993** Snares, commuting hyaenas and migratory herbivores: humans as predators in the Serengeti. *Symposia of the Zoological Society of London* **65**: 347-366.
- Hofer H, East ML **1993c** The commuting system of Serengeti spotted hyaenas: how a predator copes with migratory prey. III. Attendance and maternal care. *Animal Behaviour* **46(3)**: 575-589.
- Hofer H, East ML **1993b** The commuting system of Serengeti spotted hyaenas: how a predator copes with migratory prey. II. Intrusion pressure and commuters' space use. *Animal Behaviour* **46(3)**: 559-574.
- Hofer H, East ML **1993a** The commuting system of Serengeti spotted hyaenas: how a predator copes with migratory prey. I. Social organization. *Animal Behaviour* **46(3)**: 547-557.
- East ML, Hofer H, Wickler W **1993** The erect 'penis' is a flag of submission in a female-dominated society: greetings in Serengeti spotted hyenas. *Behavioral Ecology & Sociobiology* **33(6)**: 355-370.
- East ML, Hofer H **1991b** Loud-calling in a female-dominated mammalian society: II. Behavioural contexts and functions of whooping of spotted hyaenas, *Crocuta crocuta*. *Animal Behaviour* **42(4)**: 651-669.
- East ML, Hofer H **1991a** Loud-calling in a female-dominated mammalian society: I. Structure and composition of whooping bouts of spotted hyaenas, *Crocuta crocuta*. *Animal Behaviour* **42(4)**: 637-649.
- East M, Hofer H, Türk A **1989** Functions of birth dens in spotted hyaenas (*Crocuta crocuta*). *Journal of Zoology London* **219**: 690-697.